

MATERIAL PASSPORT

PATIO DOUBLE, SPACE DIVIDER

Material Composition

PATIO CONFIGURATION

Front: 5 shelves
Rear: Whiteboard

INFORMATION

Article number: 7011.B.2.011.030


This material passport is specific for the item number shown above and displays the material composition of this product. Variations of this product largely share the same material compositions and percentages. For different sizes or configurations, please contact us.

Parts	Material Description	Finish	Recycable end of life*(%)	Amount	Weight (kg)	Weight total (kg)
Extrusion profile	Aluminium	Powder coated	100%		0,026	31,74
Corner connector	Plastic		99%	4	0,09	0,36
Corner cap	Plastic		99%	3	0,026	0,08
Bolts and screws	Steel	Zink plated	100%		0,005	0,52
Casters	Plastic		99%	4	0,193	0,77
Caster adapter	Steel	Powder coated	100%	4	0,265	1,06
Panel	HDF	Laminated	100%	1	11,505	11,51
Whiteboard sheet	Steel	Laquered	100%	1	8,4	8,40
Panel fabric	Fabric		100%	1,6	0,64	1,02
Shelves	Steel	Powder coated	100%	5	8,355	41,78
Total product			99%			97,23

* Estimated percentage of recyclability at end of life. Recyclability depends on consumer use and re-use. Advice to separate materials as much as possible. Consider re-upholstering for upholstered products.

DIAGRAM

Percentage of total product weight



MATERIALS

ALUMINIUM	53,6%
STEEL	32,7%
HDF	11,8%
PLASTIC	0.8%
FABRIC	1.1%

General

PACKAGING

When packaging products, as little as possible plastic packaging materials are used. Where possible, plastic is replaced by more sustainable options, such as crumpled paper instead of bubble wrap or suchlike. Products will only be packed with minimal plastic, if the quality cannot be preserved without plastic packaging. More than 95% of the product components come from suppliers located within a radius of 200 kilometers around our production facility.

☐ FLAT PACKED ☐ PRE-ASSEMBLED ☒ FULLY ASSEMBLED

CERTIFICATES

Cascando is ISO 9001 and ISO 14001 compliant. Products with FSC certificate can be supplied on request.

WARRANTY

Cascando's motto is 'quality first'. This is because we are convinced that the quality of the processes in our organization is an important condition for creating perfect working environments for others. Cascando products include a 2-year warranty. For more information, please refer to the terms and conditions. For information regarding maintenance, visit cascando.com/downloads/maintenance-instructions/.

DESIGN ROBERT BRONWASSER

Any questions? Contact us! design@cascando.nl

www.cascando.com



MATERIAL PASSPORT

PATIO, WHITEBOARD

Material Composition

PATIO CONFIGURATION

Front: Whiteboard
Rear: Whiteboard

INFORMATION

Article number: 7001.b.030.030


This material passport is specific for the item number shown above and displays the material composition of this product. Variations of this product largely share the same material compositions and percentages. For different sizes or configurations, please contact us.

Parts	Material Description	Finish	Recycable end of life*(%)	Amount	Weight (kg)	Weight total (kg)
Frame profile	Aluminium	Powder coated	99%	385	0,026	10,015
Frame profile	Aluminium	Powder coated	99%	145	0,026	3,775
Profile connector	Plastic	Powder coated	100%	4	0,063	0,252
Corner cover	Plastic		100%	4	0,030	0,120
Bolt	Steel		99%	24	0,006	0,144
Caster wheel	Plastic	PU layer wheel	100%	4	0,152	0,608
	Steel		99%	4	0,039	0,156
Caster wheel pin	Steel	Galvanised	99%	4	0,025	0,100
Profile nut	Steel	Galvanised	99%	4	0,010	0,040
Wheel extender	Steel	Powder coated	99%	2	1,580	3,160
Bolt	Steel		99%	4	0,004	0,016
HDF Pannel	Wood pressed	Varnished	80%	2	7,670	15,340
Mounting pin	Steel		99%	44	0,001	0,044
Whiteboard sheet	steel	Enamelled	100%	2	5,600	11,200
Total product			93%			44,970

* Estimated percentage of recyclability at end of life. Recyclability depends on consumer use and re-use. Advice to separate materials as much as possible. Consider re-upholstering for upholstered products.

DIAGRAM

Percentage of total product weight



MATERIALS

ALUMINIUM	32,7%
STEEL	35,5%
WOOD PRESSED	29,4%
PLASTIC	2,3%

General

PACKAGING

When packaging products, as little as possible plastic packaging materials are used. Where possible, plastic is replaced by more sustainable options, such as crumpled paper instead of bubble wrap or suchlike. Products will only be packed with minimal plastic, if the quality cannot be preserved without plastic packaging. More than 95% of the product components come from suppliers located within a radius of 200 kilometers around our production facility.

☐ FLAT PACKED ☒ PRE-ASSEMBLED ☐ FULLY ASSEMBLED

CERTIFICATES

Cascando is ISO 9001 and ISO 14001 compliant. Products with FSC certificate can be supplied on request.

WARRANTY

Cascando's motto is 'quality first'. This is because we are convinced that the quality of the processes in our organization is an important condition for creating perfect working environments for others. Cascando products include a 2-year warranty. For more information, please refer to the terms and conditions. For information regarding maintenance, visit cascando.com/downloads/maintenance-instructions/.

MATERIAL PASSPORT

PATIO ROOM DIVIDER

Material Composition

PATIO CONFIGURATION

Front: LCD mount with fabric
Rear: Fabric

INFORMATION

Article number: 7006.b.1.611.011


This material passport is specific for the item number shown above and displays the material composition of this product. Variations of this product largely share the same material compositions and percentages. For different sizes or configurations, please contact us.

Parts	Material Description	Finish	Recycable end of life*(%)	Amount	Weight (kg)	Weight total (kg)
Profile 160	Aluminium	Powder coated	99%	305,2	0,026	7,935
Profile 200	Aluminium	Powder coated	99%	359,2	0,026	9,339
Corner mount	Plastic		80%	4	0,130	0,520
Corner cover	Plastic		100%	4	0,020	0,080
Bolt	Steel		99%	24	0,006	0,144
Caster wheel	Plastic	PU layer wheel	100%	4	0,152	0,608
	Steel		99%	4	0,039	0,156
Wheel axle	Steel	Galvanised	99%	4	0,025	0,100
Spring loaded nut	Steel	Galvanised	99%	8	0,010	0,080
Wheel extender	Steel	Powder coated	99%	2	1,990	3,980
Screw	Steel		99%	8	0,004	0,032
Pin	Steel		99%	64	0,001	0,064
Panel with fabric	Wood pressed		80%	2	15,015	30,029
	Fabric		100%	2	0,614	1,228
	Bonding material		100%	2	0,730	1,461
Tv reinforcement	Wood pressed		80%	1	7,216	7,216
Pin	Steel	Galvanised	100%	32	0,001	0,032
Cabel organizer	Plastic		100%	3	0,020	0,060
Total weight			88%			63,064

* Estimated percentage of recyclability at end of life. Recyclability depends on consumer use and re-use. Advice to separate materials as much as possible. Consider re-upholstering for upholstered products.

DIAGRAM

Percentage of total product weight



MATERIALS

PLASTIC	4,7%	ALUMINIUM	30,9%
STEEL	8,2%	WOOD PRESSED	53,9%
FABRIC	2,2%		

General

PACKAGING

When packaging products, as little as possible plastic packaging materials are used. Where possible, plastic is replaced by more sustainable options, such as crumpled paper instead of bubble wrap or suchlike. Products will only be packed with minimal plastic, if the quality cannot be preserved without plastic packaging. More than 95% of the product components come from suppliers located within a radius of 200 kilometers around our production facility.

CERTIFICATES

Cascando is ISO 9001 and ISO 14001 compliant. Products with FSC certificate can be supplied on request.

WARRANTY

Cascando's motto is 'quality first'. This is because we are convinced that the quality of the processes in our organization is an important condition for creating perfect working environments for others. Cascando products include a 2-year warranty. For more information, please refer to the terms and conditions. For information regarding maintenance, visit www.cascando.nl/maintenance.

☐ FLAT PACKED ☐ PRE-ASSEMBLED ☒ FULLY ASSEMBLED

MATERIAL PASSPORT

PATIO, WARDROBE

Material Composition

PATIO CONFIGURATION

Front: Wardrobe
Rear:

INFORMATION

Article number: 7003.B.121


This material passport is specific for the item number shown above and displays the material composition of this product. Variations of this product largely share the same material compositions and percentages. For different sizes or configurations, please contact us.

Parts	Material Description	Finish	Recycable end of life*(%)	Amount	Weight (kg)	Weight total (kg)
Extrusion profile	Aluminium	Powder coated	99%	1	17,95	17,95
Corner connector	Steel	Powder coated	99%	4	0,09	0,36
Corner cap	Plastic		100%	4	0,03	0,12
Bolts and screws	Steel		99%	24	0,006	0,144
Caster	Plastic	PU layer wheel	100%	4	0,152	0,608
Caster adapter	Steel		99%	4	0,039	3,456
Screws	Steel		99%	4	0,004	0,016
Wardrobe bar	Aluminium	Powder coated	99%	1	1,01	1,01
Wardrobe connector	Steel	Powder coated	99%	2	0,079	0,158
Total						23,822

* Estimated percentage of recyclability at end of life. Recyclability depends on consumer use and re-use. Advice to separate materials as much as possible. Consider re-upholstering for upholstered products.

DIAGRAM

Percentage of total product weight



MATERIALS

- ALUMINIUM 79,6%
- STEEL 17,3%
- PLASTIC 3,1%

General

PACKAGING

When packaging products, as little as possible plastic packaging materials are used. Where possible, plastic is replaced by more sustainable options, such as crumpled paper instead of bubble wrap or suchlike. Products will only be packed with minimal plastic, if the quality cannot be preserved without plastic packaging. More than 95% of the product components come from suppliers located within a radius of 200 kilometers around our production facility.

☐ FLAT PACKED ☐ PRE-ASSEMBLED ☒ FULLY ASSEMBLED

CERTIFICATES

Cascando is ISO 9001 and ISO 14001 compliant. Products with FSC certificate can be supplied on request.

WARRANTY

Cascando's motto is 'quality first'. This is because we are convinced that the quality of the processes in our organization is an important condition for creating perfect working environments for others. Cascando products include a 2-year warranty. For more information, please refer to the terms and conditions. For information regarding maintenance, visit cascando.com/downloads/maintenance-instructions/.

MATERIAL PASSPORT

PATIO ROOM DIVIDER

Material Composition

PATIO CONFIGURATION

Front: Whiteboard
Rear: Acoustic panel


INFORMATION

Article number: 7002.B.1.030.051

This material passport is specific for the item number shown above and displays the material composition of this product. Variations of this product largely share the same material compositions and percentages. For different sizes or configurations, please contact us.

DIAGRAM

Percentage of total product weight



MATERIALS

PLASTIC	18%	ALUMINIUM	32,2%
STEEL	19,6%	WOOD PRESSED	19,7%
FABRIC	2,1%	WOOD SOLID	8,5%

Parts	Material Description	Finish	Recyclable end of life*(%)	Amount	Weight (kg)	Weight total (kg)
Frame profile	Aluminium	Powder coated	99%	225,2	0,026	5,8552
Frame profile	Aluminium	Powder coated	99%	359,2	0,026	9,3392
Profile connector	Plastic	Powder coated	100%	4	0,063	0,252
Corner cover	Plastic		100%	4	0,03	0,12
Bolt	Steel		99%	24	0,006	0,144
Caster wheel with brake	Plastic	PU layer wheel	100%	4	0,152	0,608
	Steel		99%	4	0,039	0,156
Caster wheel pin	Steel	Galvanised	99%	4	0,025	0,1
Profile nut	Steel	Galvanised	99%	4	0,01	0,04
Wheel extender	Steel	Powder coated	99%	2	1,58	3,16
Bolt	Steel		99%	4	0,004	0,016
HDF Pannel	Wood pressed	Varnished	80%	1	11,505	11,505
Mounting pin	Steel		99%	44	0,001	0,044
Whiteboard sheet	steel	Enamelled	99%	1	5,6	5,6
acoustic panel frame	solid wood		100%	1	4	4
Metisse	Plastic		100%	1	7,5	7,5
Fabric	Fabric		100%	1	1	1
Total product			95%			49,4394

* Estimated percentage of recyclability at end of life. Recyclability depends on consumer use and re-use. Advice to separate materials as much as possible. Consider re-upholstering for upholstered products.

General

PACKAGING

When packaging products, as little as possible plastic packaging materials are used. Where possible, plastic is replaced by more sustainable options, such as crumpled paper instead of bubble wrap or suchlike. Products will only be packed with minimal plastic, if the quality cannot be preserved without plastic packaging. More than 95% of the product components come from suppliers located within a radius of 200 kilometers around our production facility.

FLAT PACKED PRE-ASSEMBLED FULLY ASSEMBLED

CERTIFICATES

Cascando is ISO 9001 and ISO 14001 compliant. Products with FSC certificate can be supplied on request.

WARRANTY

Cascando's motto is 'quality first'. This is because we are convinced that the quality of the processes in our organization is an important condition for creating perfect working environments for others. Cascando products include a 2-year warranty. For more information, please refer to the terms and conditions. For information regarding maintenance, visit www.cascando.nl/maintenance.