



## TECHNICAL DETAILS

design Marco Zito

|                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| structure          | 4-leg frame in die-cast aluminium, epoxy powder-coated in embossed white RAL 9010, black RAL 9005 and dove grey. Adjustable feet +20 mm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| cushion            | consisting of a 20 mm thick multilayer wood panel and polyurethane foam padding (PF 50/P FR), covered with a fireproof R&B wadding (100 g). Upholstery in fabric or eco-leather. Cushion height 8 cm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| seat               | consisting of a cushion with backrest or cushion with backrest and armrest, composed of a 20 mm thick plywood panel with padding in double-density polyurethane foam (seat PF 50/P FR, backrest PF 30 FR). Application of flame-retardant R&B wadding 100 g. Upholstery in fabric, eco-leather or leather. The seat has a total height of 38 cm and is also available with attachment clips for dividing panels.                                                                                                                                                                                                                                                                                                                                                                        |
| dividing panel     | made of 20-mm-thick plywood panel, integrated with PF 40/P CM polyurethane on both sides. The panel is applied to the back of the seat. Upholstery in fabric (no eco.leather or leather).                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| storage            | melamine units available open or with a compartment closed by a door. Dimensions: W. 60 cm D. 44 cm H. 38 cm, W. 60 cm D. 60 cm H. 77 cm, W. 120 cm D. 60 cm H. 38 cm, W. 120 cm D. 60 cm H. 77 cm.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| accessories        | <p><u>coat hanger</u>: made of 2 mm thick folded sheet steel painted with epoxy powder with embossed finish.</p> <p><u>tray</u>: 2 mm thick folded sheet steel painted with epoxy powder with embossed finish.</p> <p><u>hanging table with circular top</u>: fixed, Ø 35 cm diameter, with melamine top and metal support. Maximum weight supported 10 kg. It is attached to the sofa structure.</p> <p><u>hanging table with rectangular top</u>: 360° swivel, dimensions W. 40 cm D. 30 cm, with melamine top and metal support. Maximum weight supported 10 kg. It is attached to the sofa frame.</p> <p><u>sockets</u>: equipped with 1 plug (Shuko DE or UK) or 1 socket with 2 USB 5V A+C. Fixed to the sofa frame.</p> <p><u>cable duct</u>: in polyester with zip closure.</p> |
| structure finishes | <p><b>Embossed painted aluminium</b></p> <div> <span>ZGBI - White<br/>RAL 9010</span> <span>ZGTR - Dove Grey</span> <span>ZGNE - Black<br/>RAL 9005</span> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| top finishes       | <p><b>Melamine</b></p> <div> <span>MBI<br/>White</span> <span>MTR<br/>Dove Grey</span> <span>MCE<br/>Cement</span> <span>MOB<br/>Light elm</span> <span>MNC<br/>Walnut</span> </div>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

**Matt laquered**LAW1  
White  
RAL 9016LATR  
Dove  
GreyLANE  
Black  
RAL 9011

## accessories

**Painted metal**ZGBI  
WhiteZGTR  
Dove GreyZGNE  
Black

## fabrics

**Cat. H**

Madrid 3D



T3M0



T3V0



T3V2



T3B2



T3V4



T3M3



T3B3

**Cat. D**

King Flex



XFML



XFB2



XFAZ



XFH6



XFB4



XFBX



XFRM



XFZC



XFM0



XFS2



XFYD



XFYS



XFBV



XFBV



XFV0



XFB0



XFGC



XFGS



XFJ1



XFM1



XFCB



XFZ0

Time



S6G2



S6V0



S6R2



S6R1



S6R6



S6R3



S6R5



S6B7



S6B1



S6B0



S6B4



S6V1



S6V3



S6V4



S6M2



S6M1



S6M0



S6G0



S6B5



S6G1

Skill (eco-leather)



PGM3



PGTR



PGCD



PGTA



PGR1



PGCG



PGBZ



PGGB



PGVC



PGM2



PGNE

**Cat. F**

Step



STX2



STZ9



STSB



STE1



STBS



STVU



STE4



STE3



STE2



STNE

Chili



S0G6



S0G2



S0G3



S0M3



S0V2



S0R0



S0R4



S0RA



S0R7



S0R2



S0B9



S0B8



S0V5



S0V6



S0V7



S0NE

Silvertex



SBR7



SBV1



SBR3



SBR4



SBR5



SBR6



SBB7



SBB3



SBB6



SBG1



SBB1



SBM2



SBV4



SBV6



SBV3



SBG6

Valencia



SWR6



SWBI



SWV7



SWRA



SWR8



SWR3



SWR2



SWB8



SWG4



SWB9



SWB2



SWM6



SWG0



SWG8



SWG7



SWG1

Jet



JTW2



JTW3



JTH2



JTGM



JTYF



JT1R



JTRG



JTO1



JTR1



JTVM



JT07



JTVI



JTG3



JTV7



JTC1



JTV8



JTB3



JTB6




JTM2



JTB0

### Magnum (eco-leather)



### Connect




### Rivet



### Era



### Go Check




### Cat. G

#### Remix 3



#### Oceanic



#### Focus



#### Focus Melange



#### Aida




---

**Cat. Q**

## Steelcut Trio 3



## Ecriture



## Ombra



---

**Cat. P**

## Leather



---

**Cat. PX**

## Corrected grain leather



---

**Cat. X**

## Elmosoft




## Montana



## ABACUS


2-seater bench.  
D. 44 cm.




3-seater bench.  
D. 44 cm.




2-seater bench.  
D. 60 cm.




3-seater bench.  
D. 60 cm.



4-seater bench.  
D. 60 cm.



2-seater bench.  
Seat with backrest.




3-seater bench.  
Seat with backrest.



4-seater bench.  
Seat with backrest.



2-seater bench.  
Seat with backrest with clips for dividing panel.




Panca 3 posti.  
Seat with backrest with clips for dividing panel.  
D. 60 cm




Panca 4 posti.  
Seat with backrest with clips for dividing panel.  
D. 60 cm.



Fabric upholstered dividing panel.  
W. 60 x TH. 3 H.82 cm.




Fabric upholstered dividing panel.  
W. 120 x TH. 3 H.82 cm.



## COMPONENTS - Structure

Bench structure.




|   |        |       |       |    |
|---|--------|-------|-------|----|
| A | W. 60  | D. 60 | H. 37 | cm |
| B | W. 120 | D. 60 | H. 37 | cm |
| C | W. 140 | D. 60 | H. 37 | cm |
| D | W. 160 | D. 60 | H. 37 | cm |
| E | W. 180 | D. 60 | H. 37 | cm |
| F | W. 240 | D. 60 | H. 37 | cm |
| G | W. 120 | D. 44 | H. 37 | cm |
| H | W. 180 | D. 44 | H. 37 | cm |


Back-to-back bench structure.




|   |        |        |       |    |
|---|--------|--------|-------|----|
| A | W. 120 | D. 120 | H. 37 | cm |
| B | W. 180 | D. 120 | H. 37 | cm |
| C | W. 240 | D. 120 | H. 37 | cm |




Back-to-back structure - Equipped for upholstered diving panels  
(th. 3 cm).




|   |        |        |       |    |
|---|--------|--------|-------|----|
| A | W. 120 | D. 123 | H. 37 | cm |
| B | W. 240 | D. 123 | H. 37 | cm |



Upholstered panel for back-to-back bench D. 123 cm.



Structure for two storage units (side 1) and 4 seats (side 2) -  
D. 104 cm.



**Lato 1**  
Side 1  
**Lato 2**  
Side 2


Structure for 2 storage units (side 1) and 4 seats (side 2)  
Equipped for upholstered diving panel (th. 3 cm) - D. 107 cm.




**Lato 1**  
Side 1  
**Lato 2**  
Side 2

## COMPONENTS - Cushions / Seats / Dividing panels


Cushion for bench - D. 44 cm.




Cushion for bench - D. 60 cm.




Seat with backrest - D. 60 cm.



Seat with backrest equipped for attachment of dividing panel - D. 60 cm




Corner seat with backrest and 1 armrest.



**Dx**  
**Rh**

Corner seat equipped for dividing panel attachment.



**Dx**  
**Rh**  
**CORNER**

**! PANNELLO DIVISORIO OBBLIGATORIO  
DIVIDER FOR SEAT COMPULSORY**


Rh W. 60 D. 60 H. 38 cm  
Lh W. 60 D. 60 H. 38 cm

Rh W. 60 D. 60 H. 38 cm  
Lh W. 60 D. 60 H. 38 cm


Rh W. 80 D. 60 H. 38 cm  
Lh W. 80 D. 60 H. 38 cm

Rh W. 80 D. 60 H. 38 cm  
Lh W. 80 D. 60 H. 38 cm

Dividing panel W. 60 D. 3 H. 82 cm.



Dividing panel W. 120 D. 3 H. 82 cm.



Dividing panel for corner seat.




**Dx**  
**Rh**  
**CORNER**

Rh W. 60 D. 60 H. 38 cm (kit 2 panels)  
Lh W. 60 D. 60 H. 38 cm (kit 2 panels)

Rh W. 80 D. 60 H. 38 cm (kit 2 panels)  
Lh W. 80 D. 60 H. 38 cm (kit 2 panels)


## COMPONENTI - Connections

2-way 180° connection.  
18 mm thick melamine top.




A W. 60 D. 44 cm  
B W. 60 D. 44 cm  
(plug arrangement)

2-way 180° connection.  
18 mm thick melamine top.




A W. 60 D. 60 cm  
B W. 60 D. 60 cm  
(plug arrangement)

2-way 90° connection.  
18 mm thick melamine top.




A W. 82 D. 75,5 cm  
B W. 82 D. 75,5 cm  
(plug arrangement)

2-way 135° connection.  
18 mm thick melamine top.




A W. 66 D. 70 cm  
B W. 66 D. 70 cm  
(plug arrangement)

3-way 120° connection.  
18 mm thick melamine top.




A W. 60 D. 60 cm  
B W. 60 D. 60 cm  
(plug arrangement)

3-way 90° connection.  
18 mm thick melamine top.



A W. 82 D. 75,5 cm  
B W. 82 D. 75,5 cm  
(plug arrangement)

4-way 90° connection.  
18 mm thick melamine top.




A W. 60 D. 60 cm  
B W. 60 D. 60 cm  
(plug arrangement)

## COMPONENTS - Accessories


Hanging table with circular top.



Hanging table with rectangular top.




18 mm-thick melamine top.




A W. 60 D. 44 cm  
B W. 60 D. 44 cm  
(for plug)

18 mm-thick melamine top.




A W. 60 D. 60 cm  
B W. 60 D. 60 cm  
(for plug)

18 mm-thick melamine top.




A W. 120 D. 60 cm  
B W. 120 D. 60 cm  
(for plug)


Tray W. 60 P. 60 H. 4 cm.




Coat hanger.



Magazine holder.




Open storage unit.



A W. 60 D. 60 H. 38 cm  
B W. 60 D. 60 H. 77 cm


Storage unit with 1 door and open compartment.



A W. 120 D. 60 H. 38 cm  
B W. 120 D. 60 H. 77 cm

## COMPONENTS - Electrification


VERSADOT - 1 x USB "Type C" 5V - 1 x USB "Type A" 5V  
- Bracket for attachment to structure included - Power cable not included.




2 USB 5V (A+C)



Power cable with plug and GST-18 female 3 pole connector.



VERSADOT - 1 x POWER - Bracket for attachment to structure included - Power cable not included.



DE



UK



Vertical cable duct.

