T-PANEL MULTI


The “Multi” table panel fulfils a variety of functions: it creates a personal working environment, and divides the office through different heights, as well as colour and material combinations. A wide variety of decorative storage trays: steel compartments, wood insert with cable outlet, and flower pots. T-Panel Multi is flexible and can also be subsequently adapted to meet the changing needs of the user.



bene

INSPIRING OFFICES. SINCE 1790.

PRODUCT DESCRIPTION



1. **T-Panel Multi:** Can be used for Consult, LEVEL family, Workstation, and Workbench. 1-piece or 2-piece.
   The base consists of a 34 mm chip top.
   Surface: melamine or veneer
   Anodised aluminium frame, with integrated organisation groove.

2. **T-Panel Multi Extend:** Can be used for LEVEL family, Consult and Workstation. 1-piece or 2-piece. The base consists of a 34 mm chip top. Surface: melamine or veneer
   Anodised aluminium frame, with integrated organisation groove.

3. **Height adjustable adapter:** to create a continuous joint pattern

T-Panel Multi not in combination with LEVEL PURE family.
T-Panel Extend not in combination with Light cantilever leg.

POTENTIAL CONNECTION OPTIONS/CONNECTION POSITIONS OF THE PANEL TO THE TABLE SIDES




Table top positioning	behind desk top with 2 mm gap	behind desk top with 20 mm gap	in the gap between desk tops
Workstation	V, VL, VR, L, R, VS	V, VL, VR, L, R, VS	-
Consult (T-Panel Multi Extend)	V, VS	V, VS	-
Workbench	-	-	V
LEVEL family	V	V	-







Table top positioning	in desktop slot	centrally on connecting bar
Workstation	V	-
LEVEL TWIN & LEVEL PURE TWIN	-	V


Definition of table top sides / desk top shape alignment

The desktop shapes illustrated are shown in a left-sided version. Right-handed versions are mirror-inverted to these.














© BENE GMBH, 08/2026




PRODUCT DESCRIPTION

T-Panel Multi - installation behind desk top
height 625 mm, upper edge height 1.135 mm, lower edge height 510 mm

one-shelled	two-shelled	three-shelled with organisation rail [3]	2-piece one-shelled [4]	2-piece two-shelled [2,4]
				
desk side - possible price groups				
 1 (M1, F1)	 2 (M1, F1, R) 1 (M1, F1)	 3 (M1, F1, R) 2 (M1, F1, R)[1] 1 (M1, F1) [1]	 1b (R) 1a (M1, F1)	 1b (R) 2a (M1, F1, R) [1] 1a (M1, F1) [1]
back side - possible price groups				
 1 (M1, F1, R, G2)	 2 (M1, F1, R, G2) 1 (M1, F1, R, G2)	 3 (M1, F1, R, G2) 2 (M1, F1, R, G2)[1] 1 (M1, F1, R, G2)[1]	 1b (R) 1a (M1, F1, R, G2)	 1b (R 2a (M1, F1, R, G2)[1] 1a (M1, F1, R, G2) [1]

[1] If shell 1 and 2 have the same finish (material and colour), they will be combined in one single shell.
[2] 2-piece double shells are only possible if the top edge height of the organisation profile is 910 mm.
[3] Organisation rail is optimized for Bene organisation elements only. Note max. load!

T-Panel Multi - installation in top slot or top gap
height 415 mm, upper edge height 1.135 mm

one-shelled	two-shelled with organisation rail	2-piece one-shelled [4]
		
desk side - possible price groups		
 1 (M1, F1, R)	 2 (M1, F1, R) 1 (M1, F1, R)	 1b (R) 1a (M1, F1, R)
back side - possible price groups		
 1 (M1, F1, R, G2)	 2 (M1, F1, R, G2) 1 (M1, F1, R, G2)	 1b (R) 1a (M1, F1, R, G2)

If the table panels shall be installed in top slots of a desk with a width as from 1.600 mm, table panels which are a part of the desk width can be used. Those will be installed in 2 top slots and are positioned left-aligned or right-aligned, according to desk top. The respective panel widths, which are required for pricing, are depending on the nominal width and can be taken from the panel type overview.

For electronically pricing the real panel widths are consulted, which can lead to marginal price differences.


[4] Organisation rail not available for 2-piece acoustic variant.

© BENE GMBH, 08/2026


PRODUCT DESCRIPTION

T-Panel Multi - installation centrally on interconnecting brace
height 605 mm, upper edge height 1.135 mm, lower edge height 530 mm


one-shelled




two-shelled





three-shelled with organisation rail[3]




desk side - possible price groups









back side - possible price groups









[1] If shell 1 and 2 have the same finish (material and colour), they will be combined in one single shell.
[2] 2-piece double shells are only possible if the top edge height of the organisation profile is 910 mm.
[3] Organisation rail is optimized for Bene organisation elements only. Note max. load!

T-Panel Multi - installation in top slot
height 391 mm, upper edge height 1.135 mm


one-shelled




two-shelled with organisation rail





2-piece one-shelled[4]




desk side - possible price groups









back side - possible price groups







If the table panels shall be installed in top slots of a desk with a width as from 1.600 mm, table panels which are a part of the desk width can be used. Those will be installed in 2 top slots and are positioned left-aligned or right-aligned, according to desk top. The respective panel widths, which are required for pricing, are depending on the nominal width and can be taken from the panel type overview.

For electronically pricing the real panel widths are consulted, which can lead to marginal price differences.


[4] Organisation rail not available for 2-piece acoustic variant.

© BENE GMBH, 08/2026


PRODUCT DESCRIPTION

T-Panel Multi Extend - installation behind desk top
height 1.005 mm


one-shelled




two-shelled





desk side - possible price groups






back side - possible price groups






T-Panel Multi Extend - installation behind desk top
height 1.135 mm


one-shelled




two-shelled




three-shelled with organisation rail[3]




2-piece one-shelled[4]





2-piece two-shelled[2,4]





desk side - possible price groups
















back side - possible price groups












[1] If shell 1 and 2 have the same finish (material and colour), they will be combined in one single shell.
[2] 2-piece double shells are only possible if the top edge height of the organisation profile is 910 mm.
[3] Organisation rail is optimized for Bene organisation elements only. Note max. load!
[4] Organisation rail not available for 2-piece acoustic variant.

© BENE GMBH, 08/2026

PRODUCT DESCRIPTION


LINK-UP SOLUTIONS ON NEIGHBOUR ELEMENTS

Successional illustrations exemplify the link-ups of single panels on corners as well as their use on different desk top shapes. Supplementary the possible installation positions are marked. For pricing the panel with the respective nominal desk width, design desk depth, side length or predefined width (at leg lengths) must be consulted.




[1] At assembling integral hinges are pressed into the groove.
[2] only for T-Panel Extend

Integral hinges



Detailed view of integral hinge row configuration



Detailed view of integral hinge angled desk W1

© BENE GMBH, 08/2026

OVERVIEW AND DIMENSIONS

T-PANEL MULTI
Extension position: visitor side

Height 625 — 800 - 2.400 / 1.135



Height 415 — 800 - 2.400 / 1.135



Height 415 — 1.600 - 2.400 / 1.135 / 1.200




T-PANEL MULTI
Extension position: left/right [1]

Height 625 — 800 - 1.000 / 1.135




T-PANEL MULTI EXTEND
Extension position: visitor side

Height 1.005 — 800 - 2.400



Height 1.135 — 800 - 2.400



T-PANEL MULTI EXTEND
Extension position: left/right

Height 1.005 — 600 - 1.000



Height 1.135 — 600 - 1.000



Dimensions in mm

[1] Fitting is not height adjustable.

LEVEL

T-PANEL MULTI
Extension position: visitor side

Height 567 — 800 - 2.000 / 1.135




Height 437 — 800 - 2.000 / 1.005



T-PANEL MULTI EXTEND
Extension position: visitor side

Height 1.005 — 800 - 2.000



Height 1.135 — 800 - 2.000



Dimensions in mm

[1] Fitting is not height adjustable.


© BENE GMBH, 08/2026


OPTIONS

JUNCTION
The junction is available for building L-, T- and X-connections (90°).
It consists of aluminium profiles, mounting wedges and covering caps.


The junction is always in anodised AL. The height of the blinds always conforms to the panel height. Only panels with the same height can be connected.

- minimum height 285 mm
- maximum height 1.135 mm
- does not carry any statical function






detail view
L-connection



detail view
T-connection



detail view
X-connection

T-Panels in combination with Accessories, check the configuration of the T-Panels and the hook-in height.

© BENE GMBH, 08/2026

COLOURS AND MATERIALS

MATERIALS AND SURFACES

The following materials and colours are available for this product.

• . . . . . available
- . . . . . not available

Surface	Panel
Melamine	•
Veneer	•
Fabric (PO-P5)	•
TSG safety glass	•
fabric surface pinable on soft fibreboard	•


© BENE GMBH, 08/2026

COLOURS & MATERIALS

MELAMINE

MW white

MQ office white


MSW snow white

MC canvas

MP platinum


MA aluminium


MH stone grey


TM clay


MS slate


MD urban grey


MB basalt


MJG jade green


EZ oak vicenza


MEK oak kendal


MAK maple classic


MBK beech classic



NG walnut grey


MNP walnut pavia

© BENE GMBH, 08/2026

COLOURS & MATERIALS

VENEER


EF oak natural [1]


EY oak sylt [1]


EG oak grey [1]


ER oak amaretto [1]


EV oak vulcano [1]


NF american walnut [1]


NR walnut siena [1]


NB walnut umbra [1]


NA walnut anthracite [1]


KD chestnut natural [1]


KP chestnut brown [1]


KQ chestnut grey [1]


AK canadian maple [1]


BJ bamboo


BG beech grey [1]

[1] Veneers also available in matt finish.

© BENE GMBH, 08/2026

COLOURS & MATERIALS



Various material collections are available as cover materials: Xtreme Plus, Urban Plus, Inn, Era, Step, Step Melange, Soft Next, Remix, Focus, Bonsai Reboot, Panama, Fiord, Steelcut, Assam, Focus Melange, Artisan, The Cool, Steelcut Trio, Hallingsdal, Elle, Coda. More information about the specific fabric collections is available at www.bene.com.

Our outdoor fabrics can also be used on products for indoor use. However, this does not mean that the indoor products are suitable for outdoor use.

© BENE GMBH, 08/2026